

Trunk and Distribution Connectors, 3-Piece Pin Connector

CommScope QR320 Cable

CORNING



Part Number: GRS-320-CH-QR-T

Specifications

General Specifications

Environment	Outdoor
Cable Type	QR
Cable Size	.320

Temperature Range

Storage Temperature	-40 °C to 70 °C (-40 °F to 158 °F)
Installation	-30 °C to 70 °C (-22 °F to 158 °F)
Operation	-40 °C to 70 °C (-40 °F to 158 °F)

Design - Hardware

Interface type	KS Male to Cable
Body	Straight

Mechanical Characteristics

Frequency Range	0 GHz to 3 GHz
-----------------	----------------

Trunk and Distribution Connectors, 3-Piece Pin Connector

CommScope QR320 Cable



Electrical characteristics (at 20°C)

Return Loss (cable dependent)	-30 dB
-------------------------------	--------

Transmission

Shielding effectiveness @ 30-1000 MHz	-130 dB
---------------------------------------	---------

Ordering Information

Part Number	GRS-320-CH-QR-T
Product Description	Trunk and Distribution Connectors, 3-piece pin connector, CommScope QR320 Cable
EAN Code	4056418762098

Corning Optical Communications RF LLC (Corning Gilbert) • 5310 W. Camelback Rd. • Glendale, AZ 85301 USA
800-528-5567 • FAX: 800-344-6358 • International: +1-623-245-1050 • www.corning.com/opcomm

A complete listing of the trademarks of Corning Optical Communications RF is available at www.corning.com/opcomm/trademarks. All other trademarks are the properties of their respective owners. Corning Optical Communications RF is ISO 9001 certified. © 2016 Corning Optical Communications. All rights reserved.

